

Connections between ICD-10 PC and ICD-10 Chapter V

The ICD-10 PC codes refer to the corresponding ICD-10 three-character codes and their relevant subcodes (eg fourth and fifth character codes). Detailed codes have been taken from *The International Classification of Mental and Behavioural Disorders* (WHO, 1992)

ICD10-PC

ICD10 Chapter V Main Volume

F00# Dementia

- F00 Dementia in Alzheimer's disease
- F01 Vascular dementia
- F02 Dementia in diseases classified elsewhere
- F03 Unspecified dementia
- Includes subcodes for the above
- F00 Dementia in Alzheimer's disease**
- F00.0 Dementia in Alzheimer's disease with early onset
- F00.1 Dementia in Alzheimer's disease with late onset
- F00.2 Dementia in Alzheimer's disease, atypical or mixed type
- F00.9 Dementia in Alzheimer's disease, unspecified
- F01 Vascular dementia**
- F01.0 Vascular dementia of acute onset
- F01.1 Multi-infarct dementia
- F01.2 Subcortical vascular dementia
- F01.3 Mixed cortical and subcortical vascular dementia
- F01.8 Other vascular dementia
- F01.9 Vascular dementia, unspecified
- F02 Dementia in other diseases classified elsewhere**
- F02.0 Dementia in Pick's disease
- F02.1 Dementia in Creutzfeldt–Jakob disease (CJD)
- F02.2 Dementia in Huntington's disease
- F02.3 Dementia in Parkinson's disease
- F02.4 Dementia in human immunodeficiency virus (HIV) disease
- F02.8 Dementia in other specified diseases classified elsewhere
- F03 Unspecified dementia**

A fifth character may be added to specify dementia in F00–F03, as follows:

- .x0 Without additional symptoms
- .x1 Other symptoms, predominantly delusional
- .x2 Other symptoms, predominantly hallucinatory
- .x3 Other symptoms, predominantly depressive
- .x4 Other mixed symptoms

F05 Delirium	F05	Delirium not induced by alcohol and other psychoactive substances Includes subcodes (fourth character) for the above
	F05	Delirium, not superimposed on dementia, so described
	F05.0	Delirium, not superimposed on dementia, so described
	F05.1	Delirium, superimposed on dementia
	F05.8	Other delirium
	F05.9	Delirium, unspecified
F10 Alcohol use disorders	F10	Disorders resulting from use of alcohol
	F10.0	Acute intoxication
	F10.1	Harmful use
	F10.2	Dependence syndrome
	F10.3	Withdrawal state
	F10.4	Withdrawal state with delirium
	F10.6	Psychotic disorder
	F10.6	Amnesic syndrome
	F10.7	Residual and late onset psychotic disorder

Four and five character categories may be used to specify the clinical conditions, as follows:

F1x.0	Acute intoxication
.00	Uncomplicated
.01	With trauma or other bodily injury
.02	With other medical complications
.03	With delirium
.04	With perceptual distortions
.05	With coma
.06	With convulsions
.07	Pathological intoxication
F1x.1	Harmful use
F1x.2	Dependence syndrome
.20	Currently abstinent
.21	Currently abstinent, but in a protected environment
.22	Currently on a clinically supervised maintenance or replacement regime (controlled dependence)
.23	Currently abstinent, but receiving treatment with aversive or blocking drugs
.24	Currently using the substance (active dependence)
.25	Continuous use
.26	Episodic use (dipsomania)

- F1x.3 Withdrawal state
 - .30 Uncomplicated
 - .31 With convulsions
- F1x.4 Withdrawal state with delirium
 - .40 Without convulsions
 - .41 With convulsions
- F1x.5 Psychotic disorder
 - .50 Schizophrenia-like
 - .51 Predominantly hallucinatory
 - .53 Predominantly polymorphic
 - .54 Predominantly depressive symptoms
 - .55 Predominantly manic symptoms
 - .56 Mixed
- F1x.6 Amnesic syndrome
- F1x.7 Residual and late-onset psychotic disorder
 - .70 Flashbacks
 - .71 Personality or behaviour disorder
 - .72 Residual affective disorder
 - .73 Dementia
 - .74 Other persisting cognitive impairment
 - .75 Late-onset psychotic disorder
- F1x.8 Other mental and behavioural disorders
- F1x.9 Unspecified mental and behavioural disorder

F11# Drug use disorders

- F11 Disorders resulting from use of opioids
- F12 Disorders resulting from use of cannabinoids
- F13 Disorders resulting from use of sedatives or hypnotics
- F14 Disorders resulting from use of cocaine
- F15 Disorders resulting from use of other stimulants
- F16 Disorders resulting from use of hallucinogens
- F18 Disorders resulting from use of volatile solvents
- F19 Disorders resulting from use of multiple drug use and use of other psychoactive substances

Includes subcodes (fourth, fifth and sixth character) for the above

- F1x.0 Acute intoxication
- F1x.1 Harmful use
- F1x.2 Dependence syndrome
- F1x.3 Withdrawal state
- F1x.4 Withdrawal state with delirium
- F1x.5 Psychotic disorder due to alcohol use
- F1x.6 Amnesic syndrome
- F1x.7 Residual and late onset psychotic disorder

Same four and five character codes listed for F10 apply to F11#
(that is F11–19)

F17.1 Tobacco use

F17 Disorders resulting from use of tobacco

Includes subcodes (fourth character) for the above F11#, eg

- F17.1 Harmful use
- F17.2 Dependence syndrome
- F17.3 Withdrawal state

F20# Chronic psychotic Disorders

- F20 Schizophrenia
- F21 Schizotypal disorder
- F22 Persistent delusional disorder
- F24 Induced delusional disorder
- F28 Other nonorganic psychotic disorder
- F29 Unspecified nonorganic psychosis

Includes subcodes (fourth and fifth character) for the above:

- F20.0 Paranoid schizophrenia
- F20.1 Hebephrenic schizophrenia
- F20.2 Catatonic schizophrenia
- F20.3 Undifferentiated schizophrenia
- F20.5 Residual schizophrenia
- F20.6 Simple schizophrenia
- F20.8 Other schizophrenia
- F20.9 Unspecified schizophrenia

A fifth character may be used to classify course:

- .x0 Continuous
- .x1 Episodic with progressive deficit
- .x2 Episodic with stable deficit
- .x3 Episodic remittent
- .x4 Incomplete remission
- .x5 Complete remission
- .x6 Other
- .x9 Course uncertain, period of observation too short

F23 Acute psychotic Disorders

F23 Acute and transient psychotic disorders

Includes subcodes (fourth and fifth character codes) for the above:

F23.0 Acute polymorphic psychotic disorder without symptoms of schizophrenia

F23.1 Acute polymorphic psychotic disorder with symptoms of schizophrenia

F23.2 Acute schizophrenia-like psychotic disorder

F23.3 Other acute predominantly delusional psychotic disorders

F23.8 Other acute and transient psychotic disorders

F23.9 Acute and transient psychotic disorders unspecified

A fifth character may be used to identify the presence or absence of associated acute stress:

.x0 Without associated acute stress

.x1 With associated acute stress

If acute episodes are a form of a recurrent or current psychotic disorder, they should be coded in F20#

F31 Bipolar disorder

F30 Manic episode

F31 Bipolar affective disorder

Includes subcodes (fourth and fifth character codes) for the above:

F30.0 Hypomania

F30.1 Mania without psychotic symptoms

F30.2 Mania with psychotic symptoms

F30.8 Other manic episodes

F30.9 Manic episode, unspecified

F31 Bipolar affective disorder

F31.0 Bipolar affective disorder, current episode hypomanic

F31.1 Bipolar affective disorder, current episode manic without psychotic symptoms

F31.2 Bipolar affective disorder, current episode manic with psychotic symptoms

F31.3 Bipolar affective disorder, current episode mild or moderate depression

.30 Without somatic syndrome

.31 With somatic syndrome

F31.4 Bipolar affective disorder, current episode severe depression without psychotic symptoms

F31.5 Bipolar affective disorder, current episode severe depression with psychotic symptoms

F31.6 Bipolar affective disorder, current episode mixed

F31.7 Bipolar affective disorder, currently in remission

- F31.8 Other bipolar affective disorders
- F31.9 Bipolar affective disorder, unspecified

F32# Depression

- F32 Depressive episodes
- F33 Recurrent depressive disorder
- F38 Other mood (affective) disorders
- F39 Unspecified mood (affective) disorder

Includes subcodes (fourth and fifth character codes) for the above:

F32 Depressive episode

- F32.0 Mild depressive episode
 - .00 Without somatic syndrome
 - .01 With somatic syndrome
- F32.1 Moderate depressive episode
 - .10 Without somatic syndrome
 - .11 With somatic syndrome
- F32.2 Severe depressive episode without psychotic symptoms
- F32.3 Severe depressive episode with psychotic symptoms
- F32.8 Other depressive episodes
- F32.9 Depressive episode, unspecified

F33 Recurrent depressive disorders

- F33.0 Recurrent depressive disorder, current episode mild
 - .00 Without somatic syndrome
 - .01 With somatic syndrome
- F33.1 Recurrent depressive disorder, current episode moderate
 - .10 Without somatic syndrome
 - .11 With somatic syndrome
- F33.2 Recurrent depressive disorder, current episode severe without psychotic symptoms
- F33.3 Recurrent depressive disorder, current episode severe with psychotic symptoms
- F33.4 Recurrent depressive disorder, currently in remission
- F33.8 Other recurrent depressive disorders
- F33.9 Recurrent depressive disorder, unspecified

F38 Other mood (affective) disorders

- F38.0 Other single mood (affective) disorders
 - .00 Mixed affective episode
- F38.1 Other recurrent mood (affective) disorders
 - .10 Recurrent brief depressive disorder
- F38.8 Other specified mood (affective) disorders

F39 Unspecified mood (affective) disorder

F40 Phobic disorders	F40 Phobic anxiety disorders
	F40.0 Agoraphobia
	.00 Without panic disorder
	F40.1 Social phobias
F41.0 Panic disorder	(F41 Other anxiety disorders)
	F41.0 Panic disorder (episodic paroxysmal anxiety)
	F41.1 Agoraphobia with panic disorder
F41.1 Generalized anxiety	(F41 Other anxiety disorders)
	F41.1 Generalized anxiety disorder
	F41.3 Other mixed anxiety disorders
	F41.8 Other specified anxiety disorders
	F41.9 Anxiety disorder, unspecified
F41.2 Mixed anxiety and depression	(F41 Other anxiety disorders)
	F41.2 Mixed anxiety and depressive disorder
F43.2 Adjustment disorder	(F43 Reaction to severe stress, and adjustment disorders)
	F43.2 Adjustment disorders
	.20 Brief depressive reaction
	.21 Prolonged depressive reaction
	.22 Mixed anxiety and depressive reaction
	.23 With predominant disturbance of other emotions
	.24 With predominant disturbance of conduct
	.25 With mixed disturbance of emotions and conduct
	.28 With other specified predominant symptoms
F44# Dissociative (conversion) disorder:	F44 Dissociative (conversion) disorders
	F44.0 Dissociative amnesia
	F44.1 Dissociative fugue
	F44.2 Dissociative stupor
	F44.3 Trance and possession disorders
	F44.4 Dissociative motor disorders
	F44.5 Dissociative convulsions
	F44.6 Dissociative anaesthesia and sensory loss
	F44.7 Mixed dissociative (conversion) disorders
	F44.8 Other dissociative (conversion)
	.80 Ganser's syndrome
	.81 Multiple personality disorder
	.82 Transient dissociative (conversion) disorders occurring in childhood and adolescence

	.88	Other specified dissociative (conversion) disorders
	F44.9	Dissociative (conversion) disorder, unspecified
F45 Unexplained somatic complaints	F45	Somatoform disorders
	F45.0	Somatization disorder
	F45.1	Undifferentiated somatoform disorder
	F45.2	Hypochondrical disorder
	F45.3	Somative autonomic dysfunction
	.30	Heart and cardiovascular system
	.31	Upper gastrointestinal tract
	.32	Lower gastrointestinal tract
	.33	Respiratory system
	.34	Genitourinary system
	.38	Other organ or system
	F45.4	Persistent somatoform pain disorder
	F45.8	Other somatoform disorders
F48 Neurasthenia	(F48	Other neurotic disorders)
	F48.0	Neurasthenia
F50 Eating disorders	F50	Eating disorder
	F50.0	Anorexia nervosa
	F50.1	Atypical anorexia nervosa
	F50.2	Bulimia nervosa
	F50.3	Atypical bulimia nervosa
	F50.4	Overeating associated with other psychological disturbances
	F50.5	Vomiting associated with other psychological disturbances
	F50.8	Other eating, disorders
	F50.9	Eating disorder, unspecified
F51 Sleep problems	F51	Nonorganic sleep disorders
	F51.0	nonorganic insomnia
	F51.1	Nonorganic hypersomnia
	F51.2	Nonorganic disorder of the sleep–wake schedule
	F51.3	Sleepwalking (somnambulism)
	F51.4	Sleep terrors (night terrors)
	F51.5	Nightmares
	F51.8	Other non-organic sleep disorders
	F51.9	Non-organic sleep disorder, unspecified
F52 Sexual disorders	F52	Sexual dysfunction, not caused by organic disorder or disease

- F52.0 Lack or loss of sexual desire
- F52.1 Sexual aversion and lack of sexual enjoyment
 - .10 Sexual aversion
 - .11 Lack of sexual enjoyment
- F52.2 Failure of genital response
- F52.3 Orgasmic dysfunction
- F52.4 Premature ejaculation
- F52.5 Non-organic vaginismus
- F52.6 Non-organic dyspareunia
- F52.7 Excessive sexual drive
- F52.8 Other sexual dysfunction, not caused by organic disorder or disease
- F52.9 Unspecified sexual dysfunction, not caused by organic disorder or disease

F70# Learning disability¹

- F70 Mild mental retardation
- F71 Moderate mental retardation
- F72 Severe mental retardation
- F73 Profound mental retardation
- F78 Other mental retardation
- F79 Mental retardation, unspecified

A fourth character may be used to specify the extent of associated behavioural impairment:

- F7x.0 No, or minimal, impairment of behaviour
- F7x.1 Significant impairment of behaviour requiring attention or treatment
- F7x.8 Other impairments of behaviour
- F7x.9 Without mention of impairment of behaviour

F90 Hyperkinetic (attention-deficit) disorder

- F90 Hyperkinetic disorders**
- F90.0 Disturbance of activity and attention
 - F90.1 Hyperkinetic conduct disorder
 - F90.8 Other hyperkinetic disorders
 - F90.9 Hyperkinetic disorder, unspecified

F91# Conduct disorder

- F91 Conduct disorder**
- F91.0 Conduct disorder confined to the family context
 - F91.1 Unsocialized conduct disorder
 - F91.2 Socialized conduct disorder
 - F91.3 Oppositional defiant disorder
 - F91.8 Other conduct disorders
 - F91.9 Conduct disorder, unspecified

¹ In the UK, 'learning disability' is the term used for 'mental retardation'

	F92	Mixed disorders of conduct and emotions
	F92.0	Depressive conduct disorder
	F92.8	Other mixed disorders of conduct and emotions
	F92.9	Mixed disorder of conduct and emotions, unspecified
F98.0	Enuresis	(F98 Other behavioural and emotional disorders usually occurring in childhood and adolescence)
	F98.0	Non-organic enuresis
Z63	Bereavement	Z63.4 Disappearance and death of family member
		Z63.8 Other specified problems related to primary support group
F99		Mental disorder, not otherwise specified

U50#

Unused/temporarily unassigned to any category

ICD-10 PC uses some selected – usually three-character – codes from the main ICD-10 volume.

The # code is used in ICD-10 PC only. It refers to 'condensed' codes.

For example, 'F00# — Dementia' refers to all different types of dementias listed in F00–F03 and their related fourth and fifth character codes.

F99 is a non-recommended residual category, when no other code from the list can be used. If there is a more definite diagnosis with ICD-10 chapter V codes, users may wish to retain it in full, rather than using F99.

U50# is to be used during assessment or of diagnosis or coding is deferred.

Alternative codes – mapping to CT

Adult mental and neurological disorders

Disorder	ICD-10 codes	Clinical terms codes
Acute psychotic disorders	F23.9	Eu23
Adjust disorder (including acute stress reaction)	F43.2	Eu43.2
Alcohol misuse	F10	Eu10
Bereavement and loss	Z63.4	E2900
Bipolar disorder	F31	Eu31
Chronic fatigue syndrome/ME	G93.3	
Chronic mixed anxiety and depression	F41.2	Eu41.2
Chronic psychotic disorders	F29	Eu20
Delirium	F05	EU05
Dementia	F03	Eu00.
Depressive disorders	F32	Eu32
Dissociative (conversion) disorder	F44	Eu44
Domestic violence (new)		
Drug use disorders	F10–19 Mental and behavioural disorders due to use of: F11 opioids F12 cannabinoids F13 sedatives or hypnotics F14 cocaine F15 other stimulants, including caffeine F16 hallucinogens F17 tobacco F18 volatile solvents F19 multiple drug use and use of other psychoactive substances	Eu11
Eating disorders	F50	Eu50
Epilepsy	G40.9	F25
Fatigue states, including Chronic fatigue	F48.0	Eu46.0
Generalized anxiety	F41.1	Eu41.1
Headache (including migraine)	R51 headache G43.9 migraine	R040

	G44.2 tension G44.0 cluster	
Motor Neurone disease	G12.2	F152
Multiple Sclerosis	G35	F20
Panic disorder	F41.0	Eu41.0
Parkinson's disease	G20	F12
Perinatal disorders		Eu204

Personality disorder (new)	F60	Eu6
Phobic disorders	F40	Eu40
PTSD	F43.1	Eu43.1
OCD (new)	F42	Eu42
Sexual disorders (female)	F52	Eu52
Sexual disorders (male)	F52	Eu52
Sleep problems (insomnia)	F51	Eu51
Smoking (new)	F17.1	(no letter 137), ie it's a symptom not a disorder
Stroke	I64	G66
Suicide/deliberate self-harm (new)	X60–X84	U2...
Unexplained somatic complaints	F45	Eu45
Learning disabilities	F81.9	Eu70

Children and adolescents mental and neurological disorders

Disorders of childhood and adolescence F90–F98. Where there is no appropriate code within F90–F98, we have used the relevant adult codes.

Disorder	ICD-10 codes	Clinical terms codes
Abuse	Z61.4	ZV612
Autism	F84.0	Eu840
Asperger	F84.5	Eu845
Anxiety (including phobia, OCD)	F93	Eu93
Conduct disorder	F91	Eu91
Bullying at school		13ZF.
Bereavement and loss	Z63.4	Eu2900
Adolescent psychosis	No ICD code of adolescence	No clinical term for adolescent
Substance misuse	No ICD code for adolescence	No clinical term for adolescent
Depression in adolescence	No ICD code for adolescence	
ADHD	F90.0	Eu97
CFS and somatoform	G93.3	Eu460
Deliberate self-harm/suicide	X60–X84	Eu2
Eating disorders	F98.2 This code is for infants and early childhood only	Eu50
Mental health needs of refugee and asylum seeking children	No ICD code	No clinical term